

SAVIOUR[®]

Performing PPE



SAVIOUR COTTON LATEX COATED GLOVES(CUT LEVEL 2)

Model No.: HNPSAV-C2

www.suresafety.com

SureTM
Safety
Complete Safety Solutions

Saviour Cotton Latex Coated Gloves

Durable work gloves made from high-quality cotton with a latex coating on the palm and fingers, providing enhanced grip, abrasion resistance, and cut protection (EN 388 Cut Level 2). Designed for comfort, breathability, and extended wear in various industrial and general handling applications.



TECHNICAL SPECIFICATION

Material – Liner	100% Cotton Knit
Coating	Natural Latex – Palm & Fingers
Coating Color	Yellow (standard) – Other colors available on request
Liner Color	Natural White
Gauge	10 Gauge
Sizes Available	7 (S), 8 (M), 9 (L), 10 (XL)
Cut Resistance Level	EN 388: Cut Level 2
Abrasion Resistance	EN 388: Level 2 or higher
Grip Performance	High, wet & dry conditions
Cuff Style	Elastic Knit Wrist
Length	Approx. 240–270 mm (depending on size)
Weight	Approx. 60–80 g/pair

KEY FEATURES

- Comfortable cotton liner for breathability and sweat absorption
- Latex palm coating for excellent grip and wear resistance
- Flexible and comfortable for prolonged use
- Good cut, abrasion, and puncture resistance
- Secure fit with elastic knit wrist

APPLICATION

- General handling & material transport
- Construction & building work
- Gardening & landscaping
- Assembly and maintenance tasks
- Warehousing & logistics

STORAGE AND SHELF LIFE

Store in a cool, dry place away from direct sunlight. Avoid contact with solvents or chemicals not suitable for latex. Shelf life: 3 years from date of manufacture (when stored as recommended).

EXPLORE MORE AT: WWW.SURESAFETY.COM

DISCLAIMER: Manufacturer will not be responsible for any mishandling and wrong usage of the product shown picture is just for representative purposes only, actual product may differ.

PACKAGING

- Standard: 12 pairs/polybag, 120 pairs/carton
Carton dimensions: Approx. 56 × 28 × 28 cm
Carton weight: ~9–11 kg (depending on glove size)

MANUFACTURER / SUPPLIER DETAILS

Sure Safety (I) Ltd.

CERTIFICATE

- EN 388:2016 – Mechanical Risks
Example Performance: 2 2 4 2 X
Abrasion: Level 2
Cut (Coup Test): Level 2
Tear: Level 4
Puncture: Level 2
CE Marked – PPE Regulation (EU) 2016/425
REACH Compliant