

SAVIOUR T-560 SAFETY RESCUE HARNESS WITH TRAUMA STRAP

Model No.: FPSAV-T560-RH



Saviour T-560 Safety Rescue Harness with Trauma Strap

International quality and comfort. Our range includes harnesses for restraint, fall arrest, work positioning, suspension, and rescue purposes. We provide a comprehensive selection of full-body harnesses, lanyards, and connectors tailored to various height-related tasks. Designed with a focus on user safety and comfort, our full-body harnesses deliver peace of mind when working at elevated heights.



TECHNICAL SPECIFICATIONS

- Front-side double dorsal attachment D-ring
- Adjustable thigh straps
- · Positioned ergonomically for enhanced comfort
- Rust-proof coating for durability
- · Harness webbings ensure strength and longevity
- Trauma strap is attached to the rescue harness for assisting a rescue person at heights
- Corrosion testing
- Surpassing 140 hours of salt spray testing
- · High-tenacity webbing, extended shelf life
- · Resistant to fading in bright sunlight
- Universally fitting all sizes

ADVANTAGES

- Dual-colour scheme facilitates easy differentiation between shoulder and thigh straps.
- Polyamide webbing ensures excellent resistance to UV rays, chemicals, and abrasion.
- Individual adjustment of each shoulder strap allows for personalized fitting, with adjustments made via the leg straps.
- Brightly coloured, high-visibility webbing enhances safety by enabling easy equipment inspection from ground level.
- Thoughtfully designed shoulder strap adjustment retains surplus webbing to prevent snagging or obstruction during operation.
- Each product is clearly labelled with part number, description, and date of manufacture for easy identification and tracking.
- In an emergency, a person can self-rescue using the trauma strap.

APPLICATION

- Marine, industrial, or coastal settings
- Industries such as construction, climbing, rescue operations, and any profession requiring fall protection
- Outdoor activities such as rock climbing, mountaineering, and zip-lining.

ADDITIONAL INFORMATION

Please note: If the safety belt is needed as a separate item, the 'D' Ring will not be charged separately.

CERTIFICATION

Certified to IS 3521: 1999